

Information on conditions of blood donation - [https://www.ovsz.hu/sites/default/files/don01\\_a10\\_v07\\_20211215\\_honlap.pdf](https://www.ovsz.hu/sites/default/files/don01_a10_v07_20211215_honlap.pdf)

Some countries in the world are at high risk of certain infectious diseases. Where there is a high risk from insects, animals or human-borne diseases, you can become infected even if you take precautions to prevent it. **People who were born, live or have lived in an area at risk of infectious disease should, before donating blood, be may be forced to wait for a period of time that varies according to the risk, or may be permanently excluded from blood donation.**

A continuous period of more than 24 hours is considered to be at risk. This includes travel by land, or a ship docked in the country. The 24 hours does not include waiting in transit at the airport, if all the time in an air-conditioned room in a conditioned room.

Bahrain Viral fever 30 days Ongoing risk	Chad Malaria 180 days Ongoing risk
Bangladesh Malaria 180 days Ongoing risk	Czech Republic Tracked country see EPAlarm list
Barbados Viral fever 30 days Ongoing risk	Denmark Country monitored see EPAlarm list
Republic of Belarus see Belarus	South Africa Malaria 180 days Ongoing risk
Belgium Tracked country see EPAlarm list	South Georgia and South Sandwich
Belize Chagas disease 180 days Ongoing risk	United Kingdom Viral fever 30 days Continuous risk
Benin Malaria 180 days Ongoing risk	South Korea See Republic of Korea
Bermuda Authority: United Kingdom Viral fever 30 days Ongoing risk	South Sudan Malaria 180 days Ongoing risk
Bhutan Viral fever 30 days Ongoing risk	Dominican Community Viral fever 30 days Ongoing risk
Guinea-Bissau Malaria 180 days Ongoing risk	Dominican Republic Malaria 180 days Ongoing risk
Bolivia Malaria and Chagas 180 days Ongoing risk	Djibouti Malaria 180 days Ongoing risk
Bonaire Territory: Netherlands Viral fever 30 days Ongoing risk	Ecuador Malaria and Chagas 180 days Ongoing risk
Bosnia and Herzegovina Country of interest see EPAlarm list	Equatorial Guinea Malaria 180 days Ongoing risk
Botswana Malaria 180 days Ongoing risk	United States other name: USA Viral fever 30 days Ongoing risk
Bouvet Island Authority: Norway Viral fever 30 days Ongoing risk	United Arab Emirates Viral fever 30 days Ongoing risk
Brazil Malaria and Chagas 180 days Ongoing risk	United Kingdom * Traced country see EPAlarm list
British Indian Ocean Territory Jurisdiction: United Kingdom Viral fever 30 days Ongoing risk	Egypt Viral fever 30 days Ongoing risk
British Virgin Islands * Jurisdiction: United Kingdom Viral fever 30 days Ongoing risk	Ivory Coast Malaria 180 days Ongoing risk
Brunei Viral fever 30 days Ongoing risk	Eritrea Malaria 180 days Ongoing risk
Bulgaria Country under surveillance see EPAlarm list	Eswatini see Swaziland
Burkina Faso Malaria 180 days Ongoing risk	Northern Mariana Islands * jurisdiction: United States Viral fever 30 days Ongoing risk
Burma see Myanmar	North Korea see Democratic People's Republic of Korea Democratic People's Republic of Korea
Burundi Malaria 180 days Ongoing risk	North Macedonia Formerly North Macedonia: Macedonia Country of interest see EPAlarm list
Chile Chagas 180 days Ongoing risk	Estonia Tracked country see EPAlarm list
Cyprus ** Tracked country see EPAlarm list	Ethiopia Malaria 180 days Ongoing risk
Comoros Islands Malaria 180 days Ongoing risk	Falkland Islands (Malvinas) Sovereignty: United Kingdom Viral fever 30 days Ongoing risk
Cook Islands Authority: New Zealand Viral fever 30 days Ongoing risk	Belarus Viral fever 30 days Ongoing risk
Costa Rica Chagas disease 180 days Ongoing risk	Faroe Islands Jurisdiction: Denmark For tracked countries see EPAlarm list
Curaçao Jurisdiction: Netherlands Viral fever 30 days Ongoing risk	Fiji Viral fever 30 days Ongoing risk

Information on conditions of blood donation - [https://www.ovsz.hu/sites/default/files/don01\\_a10\\_v07\\_20211215\\_honlap.pdf](https://www.ovsz.hu/sites/default/files/don01_a10_v07_20211215_honlap.pdf)

Some countries in the world are at high risk of certain infectious diseases. Where there is a high risk from insects, animals or human-borne diseases, you can become infected even if you take precautions to prevent it. **People who were born, live or have lived in an area at risk of infectious disease should, before donating blood, be may be forced to wait for a period of time that varies according to the risk, or may be permanently excluded from blood donation.**

A continuous period of more than 24 hours is considered to be at risk. This includes travel by land, or a ship docked in the country. The 24 hours does not include waiting in transit at the airport, if all the time in an air-conditioned room in a conditioned room.

Finland Country monitored see EPAlarm list

French Southern Territories: France Viral fever 30 days Ongoing risk

French Guiana jurisdiction: France **Malaria** and Chagas 180 days Ongoing risk

French Polynesia \* Jurisdiction: France Viral fever 30 days Ongoing risk

France Country under surveillance see EPAlarm list

Philippines **Malaria** 180 days Ongoing risk

Gabon **Malaria** 180 days Ongoing risk

Gambia **Malaria** 180 days Ongoing risk

Georgia see Georgia

Ghana **Malaria** 180 days Ongoing risk

Gibraltar Authority: United Kingdom Country of interest see EPAlarm list

Greece Country monitored see EPAlarm list

Grenada Viral fever 30 days Ongoing risk

Greenland Authority: Denmark Viral fever 30 days Ongoing risk

Georgia Viral fever 30 days Ongoing risk

Guadeloupe Authority: France Viral fever 30 days Ongoing risk

Guam jurisdiction: United States Viral fever 30 days Ongoing risk

Guatemala **Malaria** and Chagas 180 days Ongoing risk

Guernsey Jurisdiction: United Kingdom Country of interest see EPAlarm list

Guinea **Malaria** 180 days Ongoing risk

Guinea-Bissau see Guinea-Bissau

Guyana **Malaria** and Chagas 180 days Ongoing risk

Haiti **Malaria** 180 days Ongoing risk

Heard Island and McDonald's Territory: Australia Viral fever 30 days Ongoing risk

Netherlands Antilles \* Jurisdiction: Netherlands Viral fever 30 days Ongoing risk

Netherlands Country tracked see EPAlarm list

Honduras **Malaria** and Chagas 180 days Ongoing risk

Hong Kong jurisdiction. Chagas disease, Chagas disease, China, China, Chagas disease, Chagas disease, (Cook Islands) Authority: Australia Viral fever 30 days Ongoing risk  
Viral fever 30 days Ongoing risk

Croatia Country monitored see EPAlarm list

Easter Islands Jurisdiction: Chile Malaria 180 days Ongoing risk

India **Malaria** 180 days Ongoing risk

Indonesia **Malaria** 180 days Ongoing risk

Iraq Viral fever 30 days Ongoing risk

Iran **Malaria** 180 days Ongoing risk

Ireland Tracked country see EPAlarm list

Iceland Tracked country see EPAlarm list

Israel Tracked country see EPAlarm list

Jamaica Viral fever 30 days Ongoing risk

Japan Viral fever 30 days Ongoing risk

Yemen **Malaria** 180 days Ongoing risk

Jersey jurisdiction: United Kingdom Country tracked see EPAlarm list

Jordan Viral fever 30 days Ongoing risk

Cayman Islands Authority: United Kingdom Viral fever 30 days Ongoing risk

Cambodia **Malaria** 180 days Ongoing risk

Cameroon **Malaria** 180 days Ongoing risk

Canada Viral fever 30 days Ongoing risk

Canary Islands jurisdiction: Spain Viral fever 30 days Ongoing risk

Christmas Island jurisdiction: Australia Viral fever 30 days Ongoing risk

Qatar Viral fever 30 days Ongoing risk

Kazakhstan Viral fever 30 days Ongoing risk

East Timor was: Timor **Malaria** 180 days Ongoing risk

Kenya **Malaria** 180 days Ongoing risk

China \*\*\* Viral fever 30 days Ongoing risk

Kyrgyzstan Viral fever 30 days Ongoing risk

Kiribati \* Viral fever 30 days Ongoing risk

Macao (People's Republic of China) Authority: Australia Viral fever 30 days Ongoing risk  
Colombia **Malaria** and Chagas 180 days Ongoing risk

Information on conditions of blood donation - [https://www.ovsz.hu/sites/default/files/don01\\_a10\\_v07\\_20211215\\_honlap.pdf](https://www.ovsz.hu/sites/default/files/don01_a10_v07_20211215_honlap.pdf)

Some countries in the world are at high risk of certain infectious diseases. Where there is a high risk from insects, animals or human-borne diseases, you can become infected even if you take precautions to prevent it. **People who were born, live or have lived in an area at risk of infectious disease should, before donating blood, be may be forced to wait for a period of time that varies according to the risk, or may be permanently excluded from blood donation.**

A continuous period of more than 24 hours is considered to be at risk. This includes travel by land, or a ship docked in the country. The 24 hours does not include waiting in transit at the airport, if all the time in an air-conditioned room in a conditioned room.

Former Democratic Republic of Congo: Zaire **Malaria** 180 days Ongoing risk

Republic of Congo was: Congo-Brazzaville **Malaria** 180 days Ongoing risk

Republic of Korea Other name: South Korea **Malaria** 180 days Ongoing risk

Democratic People's Republic of Korea Other name: North Korea **Malaria** 180 days Ongoing risk

Kosovo Country of interest see EPAlarm list

Central African Republic **Malaria** 180 days Ongoing risk

Cuba Viral fever 30 days Ongoing risk

Kuwait Viral fever 30 days Ongoing risk

Laos **Malaria** 180 days Ongoing risk

Poland Tracked country see EPAlarm list

Lesotho Viral fever 30 days Ongoing risk

Latvia Country tracked see EPAlarm list

Lebanon Viral fever 30 days Ongoing risk

Liberia **Malaria** 180 days Ongoing risk

Libya Viral fever 30 days Ongoing risk

Liechtenstein Country tracked see EPAlarm list

Lithuania Tracked country see EPAlarm list

Luxembourg Tracked country see EPAlarm list

Macedonia see Northern Macedonia

Madagascar **Malaria** 180 days Ongoing risk

Madeira jurisdiction: Portugal Viral fever 30 days Ongoing risk

Hungary Country tracked see EPAlarm list

Macau Authority. Macao Macao, Special Administrative Region. Viral fever 30 days Ongoing risk

Malaysia **Malaria** 180 days Ongoing risk

Malawi **Malaria** 180 days Ongoing risk

Maldives Viral fever 30 days Ongoing risk

Mali **Malaria** 180 days Ongoing risk

Malta Country of interest see EPAlarm list

Man jurisdiction: United Kingdom Country tracked see EPAlarm list

Morocco Viral fever 30 days Ongoing risk

Marshall Islands Viral fever 30 days Ongoing risk

Martinique Authority: France Viral fever 30 days Ongoing risk

Miskitania **Malaria** 180 days Ongoing risk

Mauritius Viral fever 30 days Ongoing risk

Mayotte Authority: France Viral fever 30 days Ongoing risk

Mexico **Malaria** and Chagas 180 days Ongoing risk

Myanmar ex: Burma Malaria 180 days Ongoing risk

Micronesia Viral fever 30 days Ongoing risk

Moldova Viral fever 30 days Ongoing risk

Monaco Viral fever 30 days Ongoing risk

Mongolia Viral fever 30 days Ongoing risk

Montenegro Country under surveillance see EPAlarm list

Montserrat jurisdiction: United Kingdom Viral fever 30 days Ongoing risk

Mozambique **Malaria** 180 days Ongoing risk

Great Britain See United Kingdom

Namibia **Malaria** 180 days Ongoing risk

Nauru Viral fever 30 days Ongoing risk

Germany Tracked country see EPAlarm list

Nepal **Malaria** 180 days Ongoing risk

Suriname **Malaria** and Chagas 180 days Ongoing risk

Switzerland Tracking country see EPAlarm list

Svalbard Authority: Norway Viral fever 30 days Ongoing risk

Sweden Country monitored see EPAlarm list

Samoa Viral fever 30 days Ongoing risk

Saudi Arabia Viral fever 30 days Ongoing risk

Senegal Malaria 180 days Ongoing risk

St. Helena: United Kingdom Viral fever 30 days Ongoing risk

Serbia Tracked country see EPAlarm list

Some countries in the world are at high risk of certain infectious diseases. Where there is a high risk from insects, animals or human-borne diseases, you can become infected even if you take precautions to prevent it. **People who were born, live or have lived in an area at risk of infectious disease should, before donating blood, be may be forced to wait for a period of time that varies according to the risk, or may be permanently excluded from blood donation.**

A continuous period of more than 24 hours is considered to be at risk. This includes travel by land, or a ship docked in the country. The 24 hours does not include waiting in transit at the airport, if all the time in an air-conditioned room in a conditioned room.

Singapore Viral fever 30 days Ongoing risk  
Syria Viral fever 30 days Ongoing risk  
Slovakia Tracked country see EPAlarm list  
Slovenia Tracked country see EPAlarm list  
Somalia **Malaria** 180 days Ongoing risk  
Sudan **Malaria** 180 days Ongoing risk  
Swaziland **Malaria** 180 days Ongoing risk  
Tajikistan Viral fever 30 days Ongoing risk  
Taiwan jurisdiction. Special Territ. Viral fever 30 days Ongoing risk  
Tanzania **Malaria** 180 days Ongoing risk  
Thailand **Malaria** 180 days Ongoing risk  
Timor See East Timor  
Togo **Malaria** 180 days Ongoing risk  
Tokelau Islands Territory: New Zealand Viral fever 30 days Ongoing risk  
Tonga Viral fever 30 days Ongoing risk  
Turkey Tracked country see EPAlarm list  
Trinidad and Tobago Viral fever 30 days Ongoing risk  
Tunisia Viral fever 30 days Ongoing risk  
Turks and Caicos Islands Territory: United Kingdom Viral fever 30 days Ongoing risk  
Tuvalu Viral fever 30 days Ongoing risk  
Turkmenistan Viral fever 30 days Ongoing risk  
Uganda **Malaria** 180 days Ongoing risk  
New Caledonia Sovereignty: France Viral fever 30 days Ongoing risk  
New Zealand Viral fever 30 days Ongoing risk  
Ukraine Viral fever 30 days Ongoing risk  
Uruguay Chagas disease 180 days Ongoing risk  
USA see United States  
Uzbekistan Viral fever 30 days Ongoing risk  
Vanuatu **Malaria** 180 days Ongoing risk

Vatican City Country of interest see EPAlarm list  
Venezuela **Malaria** and Chagas 180 days Ongoing risk  
Vietnam **Malaria** 180 days Ongoing risk  
Virgin Islands see Am. v. British Virgin Islands\*  
Wake Island jurisdiction: United States Viral fever 30 days Ongoing risk  
Wallis and Futuna Jurisdiction: France Viral fever 30 days Ongoing risk  
Zaire see Congo Dem. Congo, Congo Congo Congo.  
Zambia **Malaria** 180 days Ongoing risk  
Zimbabwe **Malaria** 180 days Ongoing risk  
Cape Verde Islands **Malaria** 180 days Ongoing risk

\*VIRGIN ISLANDS US Virgin Islands: St. Thomas, St. John, St. Croix and Water Island

British Virgin Islands: Tortola, Virgin Gorda, Anegada, Jost Van Dyke

United Kingdom: England, Northern Ireland, Scotland, Wales; Man; Channel Islands (Jersey)

Northern Mariana Islands: Saipan, Tinian and Rota Island

French Polynesia: Society Islands, (Tahiti, Ahe, Bora Bora, Hiva Oa, Huahine, Maiao, Maupiti, Mehetia, Moorea, Nuku Hiva, Raiatea,

Tahaa, Tetiaroa, Tubuai, Tupai) Tamotu Islands, Australian Islands, Marques Islands, Gambier Islands

Netherlands Antilles (also see separately in the table): Aruba, Bonaire, Curaçao, St.-Eustasius, Sint Maarten

Kiribati (Gilbert Islands): Tarawa, Tabuaeran, Banaba

NOTES \*\* In Cyprus, the malaria risk is only around the village of Esentepe (also known as Agios Amvrosios) in the Kyrenia district of Northern Cyprus

\*\*\* In China, the malaria risk is only in the south, in Yunnan province, on the border between China and Burma (Myanmar)